3.0 Summary of Safety and Effectiveness Information [510(k) Summary]

SPONSOR:

Synthes (USA)

1690 Russell Road Paoli, PA 19301 (610) 647-9700

Contact: Lisa M. Boyle

DEVICE NAME:

Synthes (USA) Titanium Wire

CLASSIFICATION:

Class II § 21 CFR 878.4495: Stainless Steel

PREDICATE DEVICE:

Ethicon Inc.: EthilonTM Nylon Sutures

DEVICE DESCRIPTION:

The Synthes Titanium Wire is a nonabsorbable, monofilament, sterile surgical wire composed of Commercially Pure Titanium. The titanium wire is available in a length of 500mm with different gauge sizes and is available with or without a permanently attached stainless steel

needle.

INTENDED USE:

Synthes (USA) Titanium Wire is indicated for use in soft tissue

approximation and/or ligation, for canthoplasty, canthopexy and/or canthal

tendon repair.

SUBSTANTIAL EQUIVALENCE:

Comparative information presented supports substantial equivalence.

The term "substantial equivalence" as used in this 510(k) notification is limited to the definition of substantial equivalence found in the Federal Food, Drug and Cosmetic Act, as amended and as applied under 21CFR 807, Subpart E under which a device can be marketed without premarket approval or reclassification. A determination of substantial equivalency under this notification is not intended to have any bearing whatsoever on the resolution of patent infringement suits or any other patent matters. No statements related to, or in support of substantial equivalence herein shall be construed as an admission against interest under the US Patent Laws or

their application by the courts.

4.0 Device Name

Synthes (USA) [Synthes] Titanium Wire

5.0 Establishment Registration

The devices subject to this Pre-market Notification will be distributed by Synthes (USA), 1101 Synthes Avenue, Monument, CO 80312 (FDA Registration No. 1719045) and manufactured by Unique Instruments, Inc. 6688 Dixie Highway, Bridgeport, MI 48722 (FDA Registration No. 1828288).

6.0 Classification Information

The classification of the Synthes Titanium Wire has been determined to be Class II, as per Title 21 of the Code of Federal Regulations, section: 878.5020: Suture, Nonabsorbable, Synthetic, Polyamide.

7.0 Information Relating to Performance Standards and Special Controls

The material used in the manufacture of the Synthes Titanium Wire is Commercially Pure (CP) Titanium, which adheres to American Society for Testing and Materials (ASTM) standards [F-1341].

8.0 Sterilization Information

Synthes will provide these devices STERILE. Information supporting the sterile device can be found in **Attachment 1**. These devices are for single use only.

9.0 Description of the Device

The Synthes Titanium Wire is a non-absorbable, monofilament, sterile surgical wire composed of Commercially Pure Titanium. The titanium wire is available in a length of 500mm with different gauge sizes (26, 28, 30, 32) and is available with or without a permanently attached stainless steel needle.

Confidential engineering drawings can be found in Attachment II.

10.0 Proposed Labels/Labeling

Please see Attachment III.

11.0 Commercially Available Device Information

The predicate device, Ethicon's Ethilon Nylon Suture, has been cleared for commercial distribution via the premarket notification process. Information on the predicate device can be found in Attachment IV.

12.0 Comparison to Commercially Available Device(s)

A comparison of the Synthes Titanium Wire to the predicate EthilonTM Nylon Suture is below:

Device Comparison Chart

New Device Synthes Titanium Wire	Predicate Device Ethicon, Inc. Ethilon™ Nylon Suture 510(k) Unknown		
Indications: Synthes (USA) Titanium Wire is indicated for use in general soft tissue approximation and /or ligation, including use in ophthalmic procedures, such as canthoplasty.	Indications: ETHILON suture is indicated for use in general soft tissue approximation, and / or ligation, including use in cardiovascular, ophthalmic and neurological procedures.		
Design Features:	Design Features:		
Dimensions (mm): Sizes: Diameter: 0.20, 0.25, 0.31, 0.40 (26, 28, 30 & 32 gauge) Length: 500	Dimensions (mm): Sizes: Diameter: 0.01 - 0.5 Length: Various		
Material: Titanium	Material: Nylon		

13.0 Determination of Substantial Equivalence: [ref. Office of Device Evaluation (ODE) Blue Book Memorandum #86-3, Attachment I "510(k) "Substantial Equivalence" Decision-Making Process (Detailed)"]

New Device [Synthes (USA) Titanium Wire] is Compared to Marketed Device [Ethicon: Ethilon Nylon Suture].

Does New Device Have Same Indication Statements? Essentially yes. Both devices are indicated for soft tissue approximation and/or ligation; however the Titanium Wire has a more specific indication to include canthoplasty.

New Device Has Same Intended Use and May be "Substantially Equivalent".

Does New Device Have Same Technological Characteristics, e.g., Design, Materials, etc.? <u>Design:</u> Yes. The design of the Titanium Wire is similar to the predicate device in that it is a nonabsorbable, monofilament wire which is available in a range of diameters/gauge sizes with or without attached needle. The subject device is 500 mm in length and provided sterile only.

<u>Materials:</u> No. The Synthes Titanium Wire is manufactured from CP Titanium where as, the predicate device is manufactured from Nylon.

Could the New Characteristics Affect Safety or Effectiveness? No.

To establish the technical equivalency of the Synthes Titanium Wire to the predicate device, tests according to methods presented in United States Pharmacopia (U.S.P.) were conducted for titanium wire with and without needle. The test results show that the Synthes titanium wire tested met USP standards for length, tensile strength, and needle attachment strength, not diameter, and are technically equivalent to the predicate device tested. Please see the attached mechanical test summary, which can be found in <u>Attachment V</u>.

14.0 Confidentiality Certification

We consider our intent to market this device to be confidential commercial information. Synthes has not disclosed the intent to market this product to others who are not collaborators and consultants. We have taken caution to protect the confidentiality of our intent.



Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

AUG 27 2004

Ms. Lisa M. Boyle Regulatory Associate Synthes (USA) 1690 Russell Road Paoli, Pennsylvania 19301

Re: K041333

Trade/Device Name: Synthes (USA) Titanium Wire

Regulation Number: 21 CFR 878.4495 Regulation Name: Stainless steel suture

Regulatory Class: II Product Code: GAQ Dated: July 26, 2004 Received: July 27, 2004

Dear Ms. Boyle:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html

Sincerely yours,

Miriam C. Provost for Celia M. Witten, Ph.D., M.D.

Director

Division of General, Restorative and Neurological Devices Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

2.0 Indications for Use Statement

		Page 1	of1
i.c.h	W		
510(k) Number (if known):	41 333		
Device Name: Synthes (USA)	Titanium Wire		
indications: Synthes (USA) Titanium Wire is indicate canthoplasty, canthopexy and/or canthal	ted for use in so		nd/or ligation, for
Prescription Use X (Per 21 CFR 801.109)	OR	Over-The-Counter Use_ (21 CFR 807 Subpart C	
(PLEASE DO NOT WRITE BELOW I NEEDED)	THIS LINE - CC	NTINUE ON ANOTHE	R PAGE IF
Concurrence of CDI	RH, Office of De	evice Evaluation (ODE)	

(Division Sign-Off)

Division of General, Restoration

and Neurological Devices

510(k) Number <u>K041333</u>